Letters in Applied Microbiology

Edited by

D.E.S. Stewart-Tull, M.J.B. Paynter,

C.R. Harwood & P.J. Blackall

Volume 31, 2000

Copyright © 2000, by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

CODEN LAMIE7 ISSN 0266-8254

Published by
Blackwell Science Ltd
OXFORD LONDON EDINBURGH BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 31, Number 1, July 2000

1 Instructions for authors

5 Indigo production by naphthalene-degrading bacteria *B. Bhushan, S.K. Samanta & R.K. Jain*

10 Neuraminidase-producing ability of intestinal bacteria isolated from coastal fish *H. Sugita, Y. Shinagawa & R. Okano*

14 Efficacy of flagellin gene typing for epidemiological studies of *Campylobacter jejuni* in poultry estimated by comparison with macrorestriction profiling *L. Petersen & S.L.W. On*

20 Susceptibility of multiresistant strains of *Burkholderia cepacia* to honey *R.A. Cooper, P. Wigley & N.F. Burton*

25 Production of cutinolytic esterase by filamentous bacteria *W.F. Fett, C. Wijey, R.A. Moreau & S.F. Osman*

30 Wheat or rye supplemented diets do not affect faecal mucus concentration or the adhesion of probiotic micro-organisms to faecal mucus *A.C. Ouwehand, S. Grâsten, P. Niemi, H. Mykkänen & S. Salminen*

34 Phylogenetic analysis of rhizosphere-associated β-subclass proteobacterial ammonia oxidizers in a municipal wastewater treatment plant based on rhizoremediation technology *D. Abd El Haleem, F. von Wintzingerode, A. Moter, H. Moawad & U.B. Göbel*

39 Relief from glucose interference in microcin B17 biosynthesis by growth in a rotating-wall bioreactor *A. Fang, D.L. Pierson, S.K. Mishra & A.L. Demain*

42 Antimicrobial susceptibility of staphylococci isolated from otitis externa in dogs *W. Lilenbaum, M. Veras, E. Blum & G.N. Souza*

46 The impact of media composition and petite mutation on the longevity of a polyploid brewing yeast strain *C.D. Powell, D.E. Quain & K.A. Smart*

52 Effect of ionic strength on the inactivation of micro-organisms by microwave irradiation *K. Watanabe, Y. Kakita, N. Kashige, F. Miake & T. Tsukiji*

57 Antimicrobial susceptibility of bifidobacteria *A.M. Yazid, A.M. Ali, M. Shuhaimi, V. Kalaivaani, M.Y. Rokiah & A. Reezal*

63 Identification of acetic acid bacteria by restriction fragment length polymorphism analysis of a PCR-amplified fragment of the gene coding for 16S rRNA *M. Poblet, N. Rozès, J.M. Guillamfi & A. Mas*

68 Growth condition-related response of *Listeria monocytogenes* 412 to bacteriocin inactivation *A.-M. Jydegaard, A. Gravesen & S. Knøchel*

73 Effect of uracil on rifamycin SV production by *Amycolatopsis mediterranei* MV35R *P.S. Murali Krishna, G. Venkateswarlu & L. Venkateswar Rao*

77 Development of a direct viable count procedure for the investigation of VBNC state in *Listeria monocytogenes* *V. Besnard, M. Federighi & J.M. Cappelier*

82 Adhesion of inactivated probiotic strains to intestinal mucus *A.C. Ouwehand, S. Tölkkö, J. Kulmala, S. Salminen & E. Salminen*

87 Letter to the Editors

Volume 31, Number 2, August 2000

95 The use of biomagnetic separation to recover DNA suitable for PCR from *Claviceps* species *D.L. Scott Jr, C.W. Clark, P. W. Tooley, M.M. Carras & J.L. Maas*

100 A small outbreak of listeriosis potentially linked to the consumption of imitation crab meat *J.M. Farber, E.M. Daley, M.T. Mackie & B. Limerick*

105 Development of a multiplex PCR detection of *Salmonella* spp. and *Shigella* spp. in mussels *A. Vantarakis, G. Komninou, D. Venieri & M. Papapetropoulou*

110 Pulsed electric field inactivation of diarrhoeagenic *Bacillus cereus* through irreversible electroporation *N.J. Rowan, S.J. MacGregor, J.G. Anderson, R.A. Fouracre & O. Farish*

115 A *Fusobacterium mortiferum* strain produces a bacteriocin-like substance(s) inhibiting *Salmonella enteritidis* *V. Portrait, G. Cottenceau & A.M. Pons*

118 Spatial distribution of 16S rRNA levels from uncultured acidobacteria in soil *A. Felske, W.M. de Vos & A.D.L. Akkermans*

123 Improved shuttle vector for expression of chitinase gene in *Bacillus thuringiensis* *M. Lertcanawanichakul & C. Wiwat*

129 The use of multiplex PCR reactions to characterize populations of lactic acid bacteria associated with meat spoilage *C.K. Yost & F.M. Nattress*

134 Rapid detection of *Staphylococcus aureus* using bioluminescent enzyme immunoassay *S. Fukuda, H. Tatsumi, H. Igarashi & S. Igimi*

139 Characterization of shiga toxin type 2 variant B-subunit in *Escherichia coli* strains from asymptomatic human carriers by PCR-RFLP *R. Stephan & L.E. Hoelzle*

143 Survival of *Salmonella hadar* after washing disinfection of minimally processed spinach *M.E. Pirovani, D.R. Güemes, J.H. Di Pentima & M.A. Tessi*

149 Rapid amplification and cloning of Tn5 flanking fragments by inverse PCR *G. Huang, L. Zhang & R.G. Birch*

154 Effects of *Lactobacillus amylovorus* and *Bifidobacterium breve* on cholesterol *J.P. Grill, C. Cayuela, J.M. Antoine & F. Schneider*

157 Effect of disinfection upon dissolved organic carbon (DOC) in wastewater: bacterial bioassays *I. Arana, P. Santorum, A. Muela & I. Barcina*

163 Design of self-processing antimicrobial peptides for plant protection *W.A. Powell, C.M. Catranis & C.A. Maynard*

169 The capacity of Enterobacteriaceae species to produce biogenic amines in cheese *M. Marino, M. Maifreni, S. Moret & G. Rondinini*

174 *In vitro* activity of propolis against *Streptococcus pyogenes* *K. Bosio, C. Avanzini, A. D'Avolio, O. Ozino & D. Savoia*

178 Monitoring the microbial contamination of beef carcass tissue with a rapid chromogenic *Limulus* amoebocyte lysate endpoint assay *G.R. Siragusa, D.H. Kang & C.N. Cutter*

184 Letter to the Editors

186 Corrigendum

Volume 31, Number 3, September 2000

187 Selective amplification of bacterial RNA: use of a DNA primer containing mismatched bases near its 3′ terminus to reduce false-Positive signals *K. Koo & L.-A. Jaykus*

193 Solvent extraction of bacteriocins from liquid cultures *L.L. Burianek & A.E. Yousef*

198 Purification and characterization of an a-L-rhamnosidase from *Aspergillus nidulans P. Manzanares, M. Orejas, E. Ibajas, S. Vallés & D. Ramlé*

203 Shiga-toxin-producing *Escherichia coli* in faeces of healthy dairy cows, sheep and goats: prevalence and virulence properties *M. Zschöck, H.P. Hamann, B. Kloppert & W. Wolter*

209 The incidence and PCR detection of *Campylobacter upsaliensis* in dogs and cats *I. Steinhauserova, K. Fojtikova & J. Klimes*

213 Bactericidal activity of catechin-copper (II) complexes against *Staphylococcus aureus* compared with *Escherichia coli N. Hoshino, T. Kimura, F. Hayakawa, A. Yamaji & T. Ando*

218 Treatment of experimental *Cryptococcus neoformans* infection in newborn rabbits by airway instillation of specific antibody and surfactant *N.T. Gross, C. Jarstrand & B. Robertson*

223 Elimination of volatile chemicals in disinfectant evaluation procedures by freeze drying *P.J. Quinn & M.P. Scanlon*

228 Biogenic amine formation and oxidation by *Staphylococcus xylosus* strains from artisanal fermented sausages *M. Martuscelli, M.A. Crudele, F. Gardini & G. Suzzi*

233 Transient sensitivity to nisin in cold-shocked Gram negatives *I.S. Boziaris & M.R. Adams*

238 Survival of mycobacterial species in aerosols generated from artificial saliva *M.S. Lever, A. Williams & A.M. Bennett*

242 Molecular recognition specificity of *Bacillus globigii* spore antibodies *P. Longchamp & T. Leighton*

247 Predictive modelling approach applied to spoilage fungi : growth of *Penicillium brevicompactum* on solid media *J.-M. Membré & M. Kubaczka*

251 Vaginal bacterial microflora modifications during the growth of healthy cows *C. Otero, L. Saavedra, C. Silva de Ruiz, O. Wilde, A.R. Holgado & M.E. Nader-Macías*

255 Influence of sodium chloride on the β-glucuronidase activity of *Clostridium perfringens* and *Escherichia coli* *T. Fujisawa, K. Aikawa, T. Takahashi & S. Yamai*

259 Effect of a water extract of *Moringa oleifera* seeds on the hydrolytic microbial species diversity of a UASB reactor treating domestic wastewater *Y. Kalogo, F. Rosillon, F. Hammes & W. Verstraete*

Volume 31, Number 4, October 2000

265 Development and demonstration of RNA isolation and RT-PCR procedures to detect *Escherichia coli* O157:H7 gene expression on beef carcass surfaces *E.D. Berry*

270 Selection of *Saccharomyces cerevisiae* strains for use as a microbial feed additive *N. Agarwal, D.N. Kamra, L.C. Chaudhary, A. Sahoo & N.N. Pathak*

274 Use of the indirect immunofluorescence method for detection and enumeration of *Escherichia coli* in seawater samples *G. Caruso, R. Zaccone & E. Crisafi*

279 The detection of *Salmonella* using a combined immunomagnetic separation and ELISA end-detection procedure *L.P. Mansfield & S.J. Forsythe*

284 Effects of stimulated solar disinfection of water on infectivity of *Salmonella typhimurium* *R.J. Smith, S.C. Kehoe, K.G. McGuigan & M.R. Barer*

289 Isolation of fluorescent pseudomonads from the rhizosphere of banana plants antagonistic towards root necrosing fungi *L. Sutra, J.M. Risède & L. Gardan*

294 The influence of different concentrations of melatonin on the cell-surface hydrophobic characteristics of *Neisseria meningitidis* *J. Uberos, A. Molina, J. Liébana, M.C. Augustin & A. Muñoz*

299 A NOTE: *Ortho*-phthalaldehyde: proposed mechanism of action of a new antimicrobial agent *C. Simons, S.E. Walsh, J.Y. Maillard & A.D. Russell*

303 Characterization of *Micrococcaceae* isolated from salt used for spanish dry-cured ham *M.R. Cordero & J.M. Zumalacárregui*

307 Discriminatory detection of extended-spectrum β-lactamases by restriction fragment length dimorphism-PCR *S.H. Lee, J.Y. Kim, S.K. Lee, W. Jin, S.G. Kang & K.J. Lee*

313 Monoclonal antibody detection of naphthalene dioxygenase from *Pseudomonas aeruginosa* 2NR *M. Civilini, C. Pucillo, A. Colombatti, G. Damante, M. de Bertoldi & G. Tell*

319 Cellular morphology of rough forms of *Listeria monocytogenes* isolated from clinical and food samples *N.J. Rowan, J.G. Anderson & A.A.G. Candlish*

323 Hyperosmotic stress response by strains of bakers' yeasts in high sugar concentration medium *P. V. Attfield & S. Kletsas*

328 Evaluation of two assays, MSRV and RV, for the isolation of *Salmonella* spp. from wastewater samples and broiler chickens *A. Zdragas, P. Tsakos & P. Mavrogeni*

332 Accumulation of ppGpp and ppGp in *Staphylococcus aureus* 8325-4 following nutrient starvation *A.-M. Crosse, D.L.A. Greenway & R.R. England*

338 Improved isolation of *Escherichia coli* O157 using large enrichment volumes for immunomagnetic separation *I.D. Ogden, M. MacRae, N.F. Hepburn & N.J.C. Strachan*

Volume 31, Issue 5, November 2000

343 Conditions for conjugative transposon transfer in *Lactococcus lactis* *G. Blaiotta, D. Ercolini, E. Simeoli, G. Moschetti & F. Villani*

349 Survival of *Escherichia coli* O157 in faeces of experimentally infected rats and domestic pigeons *A. Čižek, I. Literák & P. Scheer*

353 Isolation and characterization of 23 carbofuran-degrading bacteria from soils from distant geographical areas *D.G. Karpouzas, J.A.W. Morgan & A. Walker*

359 Incidence and identification of mesophilic *Aeromonas* spp. from retail foods *K. Neyts, G. Huys, M. Uyttendaele, J. Swings & J. Debevere*

364 Survival of *Escherichia coli* O157:H7 in potato starch as affected by water activity, pH and temperature *C.-M. Park & L.R. Beuchat*

368 Rapid differentiation of *Staphylococcus aureus* from staphylococcal species by arbitrarily primed-polymerase chain reaction *M.J. Benito, M.M. Rodríguez, M.G. Córdoba, E. Aranda, & J.J. Córdoba.*

374 *Salmonella enteritidis* and aerobic mesophiles in inoculated poultry sausages manufactured with high pressure processing *J. Yuste, R. Pla & M. Mor-Mur*

378 Production and partial characterization of thermostable and calcium-independent α-amylase of an extreme thermophile *Bacillus thermooeleovorans* NP54 *R. Malhotra, S.M. Noorwez & T. Satyanarayana*

385 *Bacillus cereus* produces most emetic toxin at lower temperatures *W.J.J. Finlay, N.A. Logan & A.D. Sutherland*

390 An ELISA for detection of *Bacillus subtilis* L-form bacteria confirms their symbiosis in strawberry *C.M.J. Ferguson, N.A. Booth & E.J. Allan*

395 Selective medium based on tyrosine metabolism for the isolation and enumeration of *Brevibacillus brevis (Bacillus brevis)* *S.G. Edwards & B. Seddon*

400 A single PCR-restriction endonuclease analysis for rapid identification of *Malassezia* species *J. Guillot, M. Deville, M. Berthelemy, F. Provost & E. Guého*

Volume 31, Issue 6, December 2000

405 Potent fibrinolytic enzyme from a thermophilic *Streptomyces megasporus* strain SD5 *R.R. Chitte & S. Dey*

411 An improved method for the detection of Norwalk-like caliciviruses in environmental samples *F. Loisy, P. Le Cann, M. Pommepuy & F. Le Guyader*

416 Nisin depletes ATP and proton motive force in mycobacteria *H.-J. Chung, T.J. Montville & M.L. Chikindas*

421 A rapid DNA isolation procedure for the identification of *Campylobacter jejuni* by the polymerase chain reaction *M.D. Englen & L.C. Kelley*

427 Antimicrobial susceptibilities of enterococci isolated from faeces of broiler and layer chickens *H. Yoshimura, M. Ishimaru, Y.S. Endoh & A. Kojima*

433 Virulence of *Vibrio parahaemolyticus* isolated from cultured small abalone, *Haliotis diversicolor supertexta*, with withering syndrome *P.-C. Liu, Y.-C. Chen, C.-Y. Huang & K.-K. Lee*

438 Adhesion, autoaggregation and hydrophobicity of 13 strains of *Bifidobacterium longum B. Del Re, B. Sgorbati, M. Miglioli & D. Palenzona*

443 Improvement in *Salmonella* detection in milk and dairy products: comparison between the ISO method and the Oxoid SPRINT *Salmonella* test *J. Richter, H. Becker & E. Märtlbauer*

449 Inhibitory effect of intestinal anti-Gb3 IgA antibody on the verotoxin-induced cytotoxicity *S. Watarai, Tana, Inoue, K. Oguma, K. Naka & H. Kodama*

455 Index